

Type

Width(top)

Width(bottom)

Height

Effective width

Weight (kg/m)

Standard

Material

50x30

50

50

30

38

11.8

KOS-Standard

FE52C

60x40

60

60

40

48

19.1

KOS-Standard

FE52C

70x40

70

70

40

58

22.2

KOS-Standard

FE52C

80x60

80

80

60

68

38.6

KOS-Standard

FE52C

100x60

100

100

60

88

47.1

KOS-Standard

FE52C

120x80

120

120

80

108

75.4

KOS-Standard

FE52C

□

□

□

□

□

□

□

□

A45

45

125

55

37

22.2

DIN536

FE52C

A55

55

150

65

45

32

DIN536

FE52C

A65

65

175

75

53

43.5

DIN536

FE52C

A75

75

200

85

59

56.6

DIN536

FE52C

A100

100

200

95

80

75.2

DIN536

FE52C

A120

120

220

105

100

101.3

DIN536

FE52C

A150

150

220

150

130

151.3

DIN536

FE52C

□

□

□

□

□

□

□

□

QU70

70

120

120

58

52.8

GB3426-82

U71Mn

QU80

80

130

130

64

63.69

GB3426-82

U71Mn

QU100

100

150

150

84

88.96

GB3426-82

U71Mn

QU120

120

170

170

104

118.1

GB3426-82

U71Mn